

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE

8.1 PERMITTED RESIDENTIAL USES

- duplex dwelling
- linked dwelling comprised of two single family dwellings
- semi-detached dwelling
- single family dwelling

8.2 PERMITTED NON-RESIDENTIAL USES

(500-2019-0008)

- short-term rental accommodation
- day care, private home use if within a single family or linked dwelling
- home occupation use if within a single family or linked dwelling

(2015-0057)

- kennel, pursuant to the provisions of Section 2.105 and 5.21(A) of this By-law
- accessory buildings, structures and uses to any permitted use

8.3 ZONE REQUIREMENTS - RESIDENTIAL USES

In accordance with the requirements of Section 6 hereof.

8.4 ZONE REQUIREMENTS - NON-RESIDENTIAL USES

In accordance with the requirements of Section 5 hereof.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

8.5 **SPECIAL PROVISIONS**

8.5.1 **PART OF LOT 14, CONCESSION 2 (NG);** **'R2-1'**
(Map 3)

Notwithstanding Section 8.1, 12 semi-detached dwellings and two single family dwellings shall be permitted. Further, notwithstanding Sections 6.1 (c) and (f), the said dwellings shall be subject to the following special provisions in addition to the relevant provisions presently set forth in the by-law:

FRONT YARD (MINIMUM) 4 metres

INTERIOR SIDE YARD (MINIMUM) 2 metres

8.5.2 **PART OF LOT 12, CONCESSION 9 (NG);** **'R2-2'**
(Map 5)

Notwithstanding Section 6.4 (f), in the area designated 'R2-2' the westerly interior side yard shall be a minimum of 1.5 metres.

8.5.3 **LOTS 3, 4 AND 5, PLAN 103;** **'R2-3'**
(Map 3)

Notwithstanding Section 6.2 (a), in that area designated 'R2-3' in Schedule 'A' hereto, 15.24 metres shall be the minimum lot frontage.

Further, notwithstanding the provisions of Section 6.2 (c), the minimum required front yard for Lots 3, 4 and 5 shall be 24.4 metres, 21.3 metres and 18.3 metres respectively.

Further, notwithstanding the provisions of Sections 2.195 and 5.12, a fence shall not be permitted in the front yard along the lot lines dividing Lots 3 and 4 and Lots 4 and 5.

8.5.4 **LOTS 13 AND 14, PLAN 185;** **'R2-4'**
(Map 3)

Notwithstanding Sections 6.2 (a) and (h), the two

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

lots furthest to the east in the area designated 'R2-4' shall be permitted to have minimum lot frontages of 15.24 metres and maximum lot coverages of 38 percent.

Further, notwithstanding Section 6.2 (c), the minimum front yard setback for the lot furthest to the east shall be 9 metres.

8.5.5 **PART LOT 3, REGISTERED PLAN 217 (NG), 'R2-5'**
PARTS 1 & 2, DEPOSITED PLAN 65R-4050; (Map 4)

Notwithstanding Sections 5.17, 8.1 and 8.2, a semi-detached dwelling and accessory buildings, structures and uses shall be the only permitted uses on lands designated 'R2-5' on Schedule 'A' hereto.

Further, notwithstanding Section 6.2 (d), the minimum exterior side yard setback for a semi-detached dwelling shall be 3 metres.

8.5.6 **PART OF LOT 30, PLAN 248; 'R2-6'**
(Map 6)

Notwithstanding Sections 6.1 (e), 6.4 (b) and (e), the following provisions shall apply:

LOT AREA (MINIMUM)	513 sq metres
REAR YARD (MINIMUM)	7.91 metres

Further, notwithstanding Section 8.1, the only permitted residential uses shall be:

- a single family dwelling
- a duplex dwelling

8.5.7 **PART OF LOTS 245 & 246, PLAN 299; 'R2-7'**
(Map 2)

Notwithstanding Section 8.1, the only permitted residential uses shall be a single family dwelling or a duplex dwelling.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

Further, notwithstanding Sections 6.1 (c), 6.1 (f), 6.4 (a) and 6.4 (f), the following provisions shall apply:

FRONT YARD (MINIMUM)	17.3 metres
SOUTHERLY INTERIOR SIDE YARD (MINIMUM)	1.7 metres

In addition, notwithstanding Sections 5.28 (b) and (h), all required parking spaces shall be permitted in the front yard.

8.5.8 PART OF LOT 10, CONCESSION 3 (NG); 'R2-8' (Map 2)

Notwithstanding Section 8.1, in the area designated 'R2-8' in Schedule 'A' hereto, "linked dwellings" shall be the only permitted residential use, subject to the following requirements:

LOT FRONTAGE (MINIMUM) - except that in the case of a corner lot, the minimum lot frontage is	21 metres 23 metres
LOT AREA (MINIMUM) - except that in the case of a corner lot, the minimum lot area is	600 sq. m. 700 sq. m.
FRONT YARD (MINIMUM)	6 metres
EXTERIOR SIDE YARD (MINIMUM) - except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be	4.2 metres 6 metres

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

INTERIOR SIDE YARD (MINIMUM) - on one side - on the other side - except that in the case of where a dwelling unit has a common wall with a dwelling unit of an adjacent lot, the minimum side yard is	1.2 metres 0.6 metres 0.0 metres
REAR YARD (MINIMUM)	8 metres
FLOOR AREA (MINIMUM)	90 sq. m.
LOT COVERAGE (MAXIMUM)	40%
HEIGHT (MAXIMUM)	11 metres

For the purpose of this by-law, "linked dwellings" shall mean two single family dwellings which are completely detached except that they are attached below grade by foundation walls, floor and/or footings.

8.5.9
(500-95-026)

PART OF LOT 17, CONCESSION 2 (NG) 'R2-9; R2-10'
(Map 3)

Notwithstanding Sections 6.3 (a) and (b), in the area designated 'R2-9' and 'R2-10' in Schedule 'A' hereto, the minimum lot frontage and area per unit shall be 10.5 metres and 325 sq. metres respectively. In the case of a corner lot, the minimum lot frontage for the exterior dwelling unit shall be 12.5 metres and the minimum lot area for the exterior dwelling unit shall be 360 sq. metres.

Further, notwithstanding Section 6.3 (e), in the area designated 'R2-10' in Schedule 'A' hereto, the minimum rear yard setback shall be 7 metres.

8.5.10
(500-95-028)

PART OF LOT 10, CONCESSION 3 (NG) 'R2-11'
(Map 2)

Notwithstanding Section 8.1, in the area designated 'R2-11' in Schedule 'A' hereto, the only permitted residential uses shall be a linked dwelling

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

comprised of two single family dwellings, a semi-detached dwelling, and a single family dwelling. Further, notwithstanding Section 2.123, on lands designated 'R2-11', the lot line, front, shall be deemed to be that which abuts South Channel Drive for the northerly lot, and Cameron Crescent for the southerly lot.

8.5.11 **LOTS 66 & 67, PLAN 454** **'R2-12'**
 (500-97-068) **(Map 2)**

Notwithstanding Section 8.1, a semi-detached dwelling shall be the only permitted residential use in the area designated 'R2-12'.

Further, the lot line abutting Lake Drive on Lot 67, Plan 454 shall be considered a rear lot line.

8.5.12 **LOT 84, PART LOT 85, PLAN 454 AND** **'R2-13'**
 (500-97-068) **PART OF BLOCK A, PLAN 528** **(Map 2)**

Notwithstanding Section 8.1, a semi-detached dwelling shall be the only permitted residential use on lands designated 'R2-13'.

And further, notwithstanding Section 6.2(c), the minimum front yard setback shall be 12 metres.

8.5.13 **PART OF LOTS 1 AND 2** **'R2-14' and**
 (500-97-081) **CONCESSION 3 (NG)** **'R2-14 (WS)'**
 (2015-0117) **(Maps 1 and 2)**

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i), Section 6.2 (a), (b), (c), (d), (e), (f), (h), (j) and Section 8.1 insofar as it affects the lands zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

ZONE	R2-14		R2-14 (WS)	
	S	SD	S	SD
PERMITTED USE ¹	S	SD	S	SD
ZONE REQUIREMENT				
LOT FRONTAGE PER UNIT (MINIMUM) M.	9.0 ^{2,5}	7.0 ^{3,15}	12.0 ⁴	9.0 ^{5,18}
LOT AREA PER UNIT (MINIMUM) SQ.M.	270 ⁶	210 ⁷	280 ⁸	210 ^{9,19}
FRONT YARD (MINIMUM) M.				
TO GARAGE	5.7 ¹⁰	5.7 ¹⁰	5.7 ¹⁰	5.7 ¹⁰
TO DWELLING	4.5 ^{10,16}	4.5 ^{10, 16}	4.0 ^{10,17}	4.0 ^{10,17}
EXTERIOR SIDE YARD (MINIMUM) M.	2.4 ^{10, 11, 12}	2.4 ^{10, 11,12}	2.4 ^{10, 11, 12}	2.4 ^{10,11, 12}
REAR YARD (MINIMUM) M.	7.5	7.5	6.0	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 & 1.2	1.2 ¹³	0.6 & 1.2	1.2 ¹³
NUMBER OF DWELLINGS PER LOT (MAXIMUM)	1 ¹⁴	1 ¹⁴	1 ¹⁴	1 ¹⁴

¹ Permitted Use - S = Single Family Dwelling
SD = Semi Detached Dwelling

² Except that in the case of a corner lot the minimum lot frontage shall be 10.2 metres.

³ Except that in the case of a corner lot the minimum lot frontage shall be 8.2 metres.

⁴ Except that in the case of a corner lot the minimum lot frontage shall be 13.2 metres.

⁵ Except that in the case of a corner lot the minimum lot frontage shall be 10.2 metres.

⁶ Except that in the case of a corner lot the minimum lot area shall be 306 square metres.

⁷ Except that in the case of a corner lot the minimum lot area shall be 245 square metres.

⁸ Except that in the case of a corner lot the minimum

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

lot area shall be 310 square metres.

⁹ Except that in the case of a corner lot the minimum lot area shall be 239 square metres.

¹⁰ The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.

¹¹ The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.

¹² Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.7 metres.

¹³ Provided that between attached dwelling units the minimum shall be nil.

¹⁴ Except that, pre-registration dwelling units not exceeding 20% of the total number of dwelling units which are to be built on proposed lots which have been draft plan of subdivision approved, are permitted.

¹⁵ Where a dwelling unit is constructed on a lot with a frontage of less than 12.0 metres, the maximum driveway width and interior garage width for each dwelling unit shall not exceed 53% of the lot frontage.

¹⁶ No garage shall project more than:

- 2.5 metres forward of the ground floor main wall of the dwelling, or an Unenclosed Porch or covered entry feature adjacent to the private garage; and,
- 3.0 metres forward from the second floor main wall over the private garage; and,
- 4.5 metres forward from the second floor front wall not located above the private garage.

¹⁷ Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.

(2015-0117)

¹⁸ Except that in the case of the lots as further

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

indicated on Schedule 'B-75' attached hereto, the minimum lot frontage for the identified individual lots shall be as illustrated on Schedule 'B-75'.

(2015-0117)

¹⁹ Except that in the case of the lots as further indicated on Schedule 'B-75' attached hereto, the minimum lot area for the identified individual lots shall be as illustrated on Schedule 'B-75'.

- b) Notwithstanding Section 2.230, in areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Sections 5.28(a) in the areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, a Standard Parking Space shall have a minimum dimension of 2.75 metres x 5.7 metres.
- d) Notwithstanding Sections 5.28(b), in the areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, a minimum of two parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- e) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A'

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line. Notwithstanding the above, if the driveway of a semi-detached or townhouse dwelling unit is to be shared with a driveway of an abutting semi-detached or townhouse dwelling unit, the setback between the driveway and the lot line shall be nil.

- f) Notwithstanding Sections 5.35, in the areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- g) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment for steps, provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-law Number 500, as amended, continue to apply.
- h) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto shall be subject to the following:
 - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

yard requirements for the appropriate zone.

- ii) Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
- iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- i) Notwithstanding Section 5.34(b) insofar as it affects the lands zoned 'R2-14' and 'R2-14(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

8.5.15
(500-97-071)
(500-97-078)

PART OF LOT 11, BLOCK 27, PLAN 69

'R2-15'
(Map 7)

Notwithstanding Section 8.1, the only permitted residential use shall be a single dwelling or semi-detached dwelling.

Notwithstanding Section 6.2(a), a minimum frontage of 9.99 metres for each semi-detached dwelling unit shall be permitted.

And further, notwithstanding Sections 6.1(c) and 6.2(c), the minimum front yard setback shall be 10 metres.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

Front Yard (Minimum) M. To Garage To Dwelling	6.0 ^{(i) (ii)} 5.5 ^{(i) (ii)}
Exterior Side Yard (Minimum) M.	5 ^{(i) (iii)}
Interior Side Yard (Minimum) M.	2.5 ^(iv)
Lot Coverage (Maximum) Bungalow Multi-storey	40% 35%
Height of Building (Maximum) M.	11 ^(v)

- (i) The minimum setback for the main wall of a dwelling to the hypotenuse of a sight triangle which forms part of the property line shall be 3.5 metres.
- (ii) No garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
- (iii) Except where a driveway, providing access to an attached garage, is located in the exterior side yard, the minimum exterior side yard for the garage shall be 6 metres.
- (iv) Where there is an attached garage on a lot, the minimum interior side yard shall be 1.2 metres plus 0.5 metres for each additional or partial storey above the second. Notwithstanding, the minimum yard between two attached dwelling units shall be 1.0 metre plus 0.5 metres for each additional or partial storey above the second, except where an easement allows mutual right of access over land between a pair of linked homes and where there are no windows or openings in the walls facing each other, the minimum interior side between the two dwelling units for that portion of the building above grade, may be 0.6 metres if the minimum distance between the two units is 1.2 metres.
- (v) Except for lots situated adjacent to Woodbine Avenue and/or situated adjacent to a reserve or block next to Woodbine Avenue,

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

the maximum number of stories for the dwellings shall be two (2) and further, basement height above grade is restricted to a maximum of 1.0 metre.

- b) Notwithstanding Section 5.28(b), a minimum of two parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing the exterior side lot line. Every lot shall provide a garage.
- c) Notwithstanding Section 5.28(i), the maximum width of a driveway shall be 6 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, Unenclosed Porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
 - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

- ii) Fences are permitted in the front and exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.

- iv) Notwithstanding i) and ii) above, where a lot abuts a commercial or institutional zone, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

8.5.19 **PART OF LOT 32, PLAN 305** **'R2-19'**
(500-2005-0007) **N/S WOODLAND DRIVE** **(Map 2)**

Notwithstanding Sections 8.1 and 8.2, with respect to lands zoned 'R2-19' in Schedule 'A' hereto, only the following uses shall be permitted:

- Duplex dwelling
- Single Family Dwelling

Furthermore, notwithstanding Sections 5.1 (d), 5.28 (b), 5.28 (i), 6.4 (a) and 6.4 (f), the following provisions shall apply to lands shown in heavy outline and designated 'R2-19' in Schedule 'A' attached hereto:

- (i) the minimum easterly exterior side yard setback for the existing detached accessory building shall be 5.1 metres;

- (ii) a maximum of 4 parking spaces shall be permitted in the front yard;

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

- (iii) the minimum distance between a driveway on Woodland Drive and the intersection of street lines of Woodland Drive and The Queensway South, shall be 7 metres;
- (iv) the minimum lot frontage shall be 15.8 metres; and,
- (v) the minimum westerly interior side yard setback for the existing dwelling shall be 1.71 metres.

8.5.20 **PART OF LOT 22, REGISTERED PLAN 130,** **'R2-20'**
(500-2011-0005) **PART 3, 65R-17666** **(Map 3)**
44 Cooks Bay Drive, Keswick

Notwithstanding Section 8.1 Permitted Residential Uses and Section 8.2 Permitted Non-Residential Uses, on land shown in heavy outline and designated 'R2-20' in Schedule 'A' attached hereto, only the following uses shall be permitted:

- duplex dwelling
- single family dwelling
- accessory buildings, structures and uses to any permitted use

Furthermore, notwithstanding Sections 5.28 (i) and 6.4 (f), the following provisions shall apply to lands shown in heavy outline and designated 'R2-20' in Schedule 'A' attached hereto:

- (a) the maximum width of the driveway shall be 9.15 metres; and
- (b) the minimum northerly interior side yard setback for the existing dwelling shall be 1.9 metres.

8.5.21 **PART OF LOT 18, CONCESSION 9 (NG)** **'R2-21'**
(2013-0117) **(Map 6)**

Notwithstanding Sections 6.2 (a), (b), (c), (d), (e), (f), (g), (h), (i), and (j), the following provisions shall apply to those lands shown in

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

heavy outline and designated 'R2-21' in Schedule 'A' attached hereto:

Lot Frontage Per Unit (Minimum) - Interior Lot	10 metres
Lot Area Per Unit (Minimum) - Interior Lot	300 sq metres
Front Yard (Minimum) - To Attached Garage - To Dwelling	6 metres 5 metres
Rear Yard (Minimum)	7 metres
Interior side yard (Minimum)	1.2 metres, except between attached dwelling units where the minimum shall be nil
Floor Area Per Dwelling Unit (Minimum)	75 sq metres
Lot Coverage (Maximum)	Not applicable
Height of Building (Maximum)	11 metres

- (i) The minimum interior dimensions of a garage shall be 3 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 4.25 metres.
- (ii) No encroachment shall be permitted into a required parking space located within a garage, save and except for one step (two risers) into the minimum garage length.
- (iii) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street/road at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street/road at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

covered unenclosed porch or entry feature adjacent to the attached garage.

- (iv) No part of any driveway or parking area in the front yard shall be located closer than 0.3 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be 4.25 metres. Notwithstanding the above, if the driveway or parking area of the dwelling unit is to be paired with a driveway or parking area of an abutting dwelling unit, the setback requirement between the paired driveways or parking areas in the common interior side lot line shall be nil, and the maximum width of the paired driveways or parking areas shall be 8.5 metres.
- (v) Notwithstanding Section 5.13, a semi-detached dwelling, and accessory buildings, structures, and uses, are permitted on a lot which has access onto a private street/road that is subject to a registered plan of common elements condominium.
- (vi) Notwithstanding Sections 6.2 (a) and (f), the minimum setback between a main wall or porch to the hypotenuse of a sight triangle or to an entry feature block as delineated on the common elements condominium plan shall be 1 metre.
- (vii) Notwithstanding Section 8.2, a private street/road forming part of a common element condominium may be permitted within those lands shown in heavy outline and designated 'R2-21' in Schedule 'A' attached hereto.

8.5.22
(2014-0125)

PART OF LOT 16, CONCESSION 2 (NG) 'R2-22'
PART 2, REGISTERED PLAN 65R-28938 (Map 3)

Notwithstanding Section 8.1, the only permitted residential use shall be a semi-detached dwelling. Furthermore, notwithstanding Section 5.50, an

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

accessory apartment is not permitted within a semi-detached dwelling unit.

Also, notwithstanding Sections 6.2 (a), 6.2 (c), and 6.2 (i), the following provisions shall apply:

LOT FRONTAGE PER UNIT (MINIMUM)	9.9 metres
FRONT YARD (MINIMUM)	12 metres
HEIGHT OF BUILDING (MAXIMUM)	7.6 metres ^{1, 2}

¹ Being the vertical distance measured from average finished grade to the highest point of the roof

² Dwelling shall be of bungalow design with height not exceeding 1 storey

Further, notwithstanding Section 5.28 (i), the minimum and maximum width of the driveway or parking area provided within the front yard shall not exceed 3 metres for each dwelling unit.

Notwithstanding the provisions of Section 5.12, a wood privacy fence having a maximum/minimum height of 1.8 metres is permitted and shall be provided in the interior side and rear yards only. Furthermore, fences are permitted in the front yards, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the By-law.

8.5.23 **RP 65R-33365, PARTS 1 & 3** **'R2-23'**
(500-2019-0005) **17 & 19 EAST STREET** **(Map 7)**

a) Notwithstanding Section 6.2 (a), (b), (f), and (h) the following requirements shall apply:

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

Lot Frontage Per Unit (Min)	9.0 metres
Lot Area Per Unit (Min)	290 square metres
Interior Side Yard (Min)	- 1.2 metres, plus 0.5 metres for each additional or partial storey above the second - Provided that if a lot is to be divided along the common wall, then the minimum interior side yard between the two dwelling units shall be nil (0.0 metres)
Lot Coverage (Max)	N/A - no maximum

- b) Notwithstanding Section 5.12, the erection of fences on residential lots shall be subject to the following:
- i. Fences not exceeding 2 metres in height are permitted in the rear and side yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above-noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
 - ii. Fences are permitted in the front yard, provided such fences do not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
 - iii. Notwithstanding ii. above, where the front yard abuts a lot containing a non-residential use, fences not exceeding 2 metres in height are permitted along the common lot line.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

8.5.24
(500-2022-0007)

Lot 91 on Registered Plan 397

'R2-24'
(Map 2, Pg. 2)

On lands shown in heavy outline and designated 'R2-24' on Schedule 'A' attached hereto the following provisions shall apply:

- a) Notwithstanding Section 5.45 f), an air conditioning unit including any supporting structure, external to a dwelling, shall not be permitted in any yard except an interior side yard or rear yard. If within a required interior side yard, it shall not be permitted unless the air conditioning unit is located a minimum of 2 metres above average finished grade.
- b) Notwithstanding Section 5.45 a), sills, belt courses, chimneys, cornices, eaves, gutters, parapets, pilasters or similar ornamental structures may project into the required interior side yard a maximum of 0.31 metres.
- c) Notwithstanding Section 5.45 a), windows bays, having a maximum width of 2 metres, may project a maximum of 0.31 metres into the required interior side yard.
- d) Notwithstanding Sections 5.50 h) and 5.28 i), a driveway for a dwelling containing an accessory apartment located within the minimum front yard may have a maximum width of 67% of the lot frontage.
- e) Notwithstanding Section 6.2 a), the minimum lot frontage shall be 9.0 metres.
- f) Notwithstanding Section 6.2 f), the minimum interior side yard shall be 1.7 metres for the first storey, 1.7 metres for the second storey and 2.0 metres for all subsequent full or partial storeys above the second storey.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

- g) Notwithstanding Section 6.2 f), the minimum interior side yard shall be nil between two semi-detached dwelling units.
- h) Notwithstanding Section 6.2 i), the maximum height shall be 10.5 metres.
- i) Notwithstanding Section 8.1, the only permitted residential use shall be a semi-detached dwelling.
- j) Notwithstanding Section 8.2, the only permitted non-residential use shall be accessory buildings, structures and uses to any permitted use.
- k) Each semi-detached dwelling shall have a maximum of one (1) semi-detached dwelling unit and one (1) accessory apartment.

8.5.25
(500-2023-0004)

Block 52, Registered Plan 65M-2480

'R2-25'
(Map 3, Pg. 1)

On lands shown in heavy outline and designated 'R2-25' on Schedule 'A' hereto, the following provisions shall apply:

- i. Notwithstanding Section 6.2 a), the minimum lot frontage per semi-detached dwelling unit shall be 9.5 metres.
- ii. Notwithstanding Section 6.2 f), the minimum interior side yard shall be 1.7 metres for the easterly dwelling unit.
- iii. Notwithstanding Section 6.2 f), the minimum interior side yard shall be 4.5 metres for the westerly dwelling unit. No structures or paving shall be permitted within the westerly interior side yard.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

8.5.26
(500-2023-0002)

Part of Lot 3, Concession 7 (G)

'R2-26'
(Map 7A)

- a) Notwithstanding Sections 6.2 (a), (b), (c), (e), (f) and (i), the following requirements shall apply:

Zone Requirement	R2-26 Zone
Lot Frontage per unit (Minimum)	7.5 metres
Lot Area per unit (Minimum)	225 m ²
Front Yard (Minimum)	
- To Attached Garage	5.7 metres (i)
- To Dwelling	6.0 metres
Rear Yard (Minimum)	
- Bungalow	6.5 metres
- Multi-Storey	7.5 metres
Interior Side Yard (Minimum)	0.6 and 1.2 metres
Lot Coverage (Maximum)	40%

- (i) *No attached garage shall project more than 2.5 metres forward from either the ground floor or second floor main wall of the dwelling.*
- b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
- i) Fences not exceeding 2.0 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2.0 metres in height must be erected in compliance with the minimum yard requirements for the 'R2-26' zone.
- ii) Fences are permitted in the front yard as well as the front half of the interior side yard provided such fences do not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

- c) Notwithstanding Section 5.28 (b), every lot shall provide an attached garage.
- d) Notwithstanding Section 5.28 (h) and (i), driveways shall be located no closer than 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front yard area, unenclosed porches are permitted to encroach 1.5 metres into any required front yard with an additional encroachment of 1.0 metre for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

8.5.27 **Part of Lot 144, Judge's Plan 602** **'R2-27'**
(500-2024-0001) **Part 2, Plan 65R-37686** **(Map 6A)**
1933 Metro Road North

On lands shown in heavy outline and designated 'R2-27' on Schedule 'A' attached hereto, the following provisions shall apply to a semi-detached dwelling:

- a) Notwithstanding Section 6.2 (a), the minimum lot frontage per unit shall be 9.65 metres.
- b) Notwithstanding Section 6.2 (b), the minimum lot area per unit shall be 295 square metres.
- c) Notwithstanding Section 6.2 (e), the minimum rear yard shall be 7.0 metres.
- d) Notwithstanding Section 6.2 (f), the minimum interior side yard shall be:
 - provided that where a garage or carport is part of the dwelling unit, the minimum width of the interior side yard shall be 1.2 metres plus 0.5 metres for each additional or partial storey above the second.

SECTION 8 - LOW DENSITY URBAN RESIDENTIAL (R2) ZONE (cont.)

- provided that if a lot is to be divided along the common wall, then the minimum interior side yard, between the two dwelling units, shall be nil.
- e) Notwithstanding Section 6.2 (h), the maximum lot coverage shall be 55%.
- f) Notwithstanding Section 5.12, fences not exceeding 0.9 metres in height are permitted in the front yard subject to compliance with all other provisions of this by-law.